

Dear Author,

Here are the final proofs of your article. Please check the proofs carefully.

Please note that at this stage you should only be checking for errors introduced during the production process. Please pay particular attention to the following when checking the proof:

- Author names. Check that each author name is spelled correctly, and that names appear in the correct order of first name followed by family name. This will ensure that the names will be indexed correctly (for example if the author's name is 'Patel, J. ', she will be cited as ' Jane Patel ').

- Affiliations. Check that all authors are cited with the correct affiliations, that the author who will receive correspondence has been identified with an asterisk (*), and that all equal contributors have been identified with a well sign (#).

- Ensure that the main text is complete.
- Check that figures, tables and their legends are included and in the correct order.
- Look to see that queries that were raised during copy-editing or typesetting have been resolved.
- Confirm that all web links are correct and working.
- Ensure that special characters and equations are displaying correctly.
- Check that additional or supplementary files can be opened and are correct.

Changes in scientific content cannot be made at this stage unless the request has already been approved. This includes changes to title or authorship, new results, or corrected values.

How to return your corrections

Returning your corrections via email:

- Annotate the proof PDF with your corrections.
- Remember to include the journal title, manuscript number, and your name when sending your response via email.

After you have submitted your corrections, you will receive email notification from our production team that your article has been published in the final version. All changes at this stage are final. We will not be able to make any further changes after publication.

Kind regards,





Harnessing the heterogeneity of aging

Warren Ladiges^{a,*}

^a Department of Comparative Medicine, School of Medicine, University of Washington, Seattle, WA, USA.

Abstract

Genetic variation does not entirely address the consistent divergence of healthy and unhealthy aging in heterogeneous and homogeneous mammalian populations. The alteration of gene function through modification of histone DNA infrastructure is a logical extending explanation for this divergence. Since epigenetic alterations are reversible, therapeutic interventions that target the right gene or gene products could reverse aging, at the very least in the population of older people with poor health.

Keywords: Heterogeneity of aging, epigenetic alterations, reversing aging

Immortality is not a flesh and blood reality, since death is inevitable. This is an issue that should not require much scientific preponderance. However, it makes sense to focus on staying as healthy as possible with increasing age. Healthy aging is a term used frequently to distinguish aging with relatively few disease complications, in contrast to aging per se, which generally means unhealthy aging and extensive disease complications. So why do some people live longer than others, and some experience good health in their later years compared to others that are plagued with comorbidities?

In order to address this question, several factors need to be considered. Genetic factors are at the forefront of biogerontology research, and rightfully so, as genes code for proteins that respond to stress in specific ways. Variations in genetic sequence can result in different ways of responding to that stress, which may increase or decrease aspects of healthy aging. Rare variants have been identified in centenarians that would appear to be natural therapeutic targets for enhancing healthy aging. However, it seems precarious that aging in humans, a heterogeneous population, is similar to aging in more homogeneous populations. For example, certain inbred strains of laboratory mice have been shown to outlive other strains, yet within each strain, there is the same biological divergence of healthy and unhealthy aging groups with increasing chronological age as seen in humans. This would suggest there are additional factors to explain why some people

* Corresponding author: Warren Ladiges

Received: 25 February 2021 / Accepted: 11 March 2021

experience healthy aging and others age poorly.

One possible explanation for this observation is epigenetic influence. Epigenesis is the term used to describe the manner in which endogenous or exogenous factors can alter gene function without direct changes in DNA structure. Therefore, epigenesis is a constantly fluid process that controls whether a gene or set of genes, under-performs or over-performs. For example, histone deacetylase (HDAC) is an epigenetic protein that shrinks the histone backbone that supports the DNA helix, thus repressing gene transcription and coding of critical proteins involved in healthy aging. Inhibition of HDAC would thus seem to be a potential therapeutic target to enhance healthy aging. There are likely a multitude of proteins that attack the histone infrastructure that are not yet identified but have a significant influence on gene function at critical times over a lifespan.

The argument that epigenesis can alter gene function to enhance healthy aging or accelerate unhealthy aging is a logical argument but not yet scientifically proven. Extensive research in this area will be needed to determine how the heterogeneity of aging can be harnessed to benefit the health of older people. One very strong rationale for moving in this direction is that epigenetic alterations are reversible up to a point, meaning that therapeutic interventions that target the right gene or gene products could reverse aging. Could this be a path toward longer life in addition to healthier aging? Maybe, but at the very least, it could be the promise of enhancing the lives of those older people experiencing unhealthy aging.

Declarations

Acknowledgments: Supported by NIH grants R01 AG057381 and R01 AG067193 (PI, Ladiges).

Mailing address: Department of Comparative Medicine, School of Medicine, University of Washington, Seattle, WA 98195, USA. E-mail: wladiges@uw.edu



Author Query Form

Dear Author,

During the copy-editing of your paper, the following queries arose. Please refer to the query reference call out numbers in the page proofs and respond to each by marking the necessary comments using the PDF annotation tools. Please remember illegible or unclear comments and corrections may delay publication.

Many thanks for your assistance.

QueryReference	Query	Remark
Q1	Author: Please confirm that given names and surnames/family names have been identified correcy.	
Q2	Affiliations: Please check if the affiliations are presented .	

